

# Data Sheet

## Peltier – Control Cabinet Cooler FN-316-C




S-0000198-002-a

### Technical data:



Supply voltage	24 V - DC
Rated input	280 W
max. input current	20 A
Weight	ca. 10 kg
Protection Classification outer side (warm)	IP67
Protection Classification internal side (cold)	IP20
Operational temperature range	-40 °C to 70 °C
Storage temperature range	-40 °C to 70 °C
Alarm transductor	make-contact, max. 30 V-DC, 5 A
Switch point fault message	+80°C (+/- 5°C) heat sink temperature
Switch point safety shutdown	+90°C (+/- 5°C) heat sink temperature

### Performance range:




**Terminal assignment:**


<b>Terminal</b>	<b>Connection</b>
1	Peltier-Elements (+)
2	Peltier-Elements (-)
3	Peltier-Elements (+)
4	Peltier-Elements (-)
5	not in use
6	not in use
7	External fans (+)
8	External fans (-)
9	Internal fan (+)
10	Internal fan (-)
11	Peltier-Elements (+)
12	Peltier-Elements (-)
13	Peltier-Elements (+)
14	Peltier-Elements (-)
15	Alarm transductor (NO contact)
16	Alarm transductor (NO contact)
17	External fans (+)
18	External fans (-)
19	Internal fan (+)
20	Internal fan (-)



**Main dimensions:**



**Opening:**





The product „DR. NEUMANN Control Cabinet Cooler – FN 316-C“ has been given the CE mark on the basis of the Directive 89/336/EEC of the Council of the European Community of 29 April 1991 for harmonization of legislation of member-states on communication systems including mutual recognition of their conformity.

This product has been designed for use with power packs bearing the CE mark.

The product „DR. NEUMANN Control Cabinet Cooler – FN 316-C“ meets the requirements for a CE mark:

**Interference immunity to EN 50082-2**

Electromagnetic compatibility; basic standard on interference immunity

**Radio interference suppression to EN 55022 Class A**

Electromagnetic compatibility of equipment for information processing and telecommunication

**Electric safety to EN 60950**

Safety of equipment of information engineering including electric office machines.

This product has been designed for use in industrial applications. Interference immunity and the rate of emitted interference are in conformity with the directives on industrial equipment. When the product is used in residential homes and business offices interference with other equipment items (e.g. radio receivers) might occur. The user shall ensure itself that no third party will be exposed to any interference.

This declaration is delivered in the responsibility of the manufacturer

DR. NEUMANN  
Peltier-Technik GmbH  
Gautinger Str. 45  
D-82061 Neuried  
Germany